


Overview



Models

HP POS Pole Display

FK225AA

Introduction

HP POS Pole Display is a multi-size adjustable pole display that provides your customers clear, easy-to-read information at a high data-transfer rate. It can be tilted and swiveled for maximum visibility and can attach directly to HP rp3000, rp5000, and rp5700 POS Systems.

Overview

Key Features and Benefits

- Customers are easily able to read product information during checkout with the Clear Communication: Vacuum Fluorescent Display
 - Flexible positioning allows for adjustment so that the display can be clearly visible to the customer. Supports four different heights by adding extension supports (included in the kit)
 - Supports multiple command modes, with EPSON command mode set as default
 - Supports standard USB 2.0 port
 - To prevent damage from wet counter surfaces, the control boards are designed into the top display panel
 - For added stability in small spaces, the Pole Display has an optional circular mini-base
-

Compatibility

The HP POS Pole Display is compatible with HP rp3000, rp5000 and rp5700 Point of Sale Systems.

NOTE: Not all models are available in all regions.

Service and Support

Your HP branded Peripheral Limited Warranty is a three (3) year (HP Option Limited Warranty Period) parts replacement warranty.

Technical Specifications

General	Display Type	Vacuum Fluorescent Display, Blue Green	
	Brightness	350 - 700 cd/m ²	
	Characters Support	95	
	Character font	5 x 7 dot matrix, cursor	
	Character type	95 Alphanumeric, 32 International Characters	
	Supported Language	U.S.A. PC-437 (USA) (Standard European) FRANCE PC-850 (Multilingual) GERMANY PC-850 (Multilingual) U.K. PC-850 (Multilingual) DENMARK I PC-850 (Multilingual) SWEDEN PC-850 (Multilingual) ITALY PC-850 (Multilingual) SPAIN PC-850 (Multilingual) JAPAN Katakana NORWAY PC-865 (Nordic) DENMARK II PC-850 (Multilingual) SLAVONIC/RUSSIAN PC-437 (USA)	
	Buffer size	20K Byte	
	Character size	5.5(W) x 10.5(H) mm	
	Dot size (X * Y)	0.86 x 1.22 mm	
	Command Modes	ICD-2002, EPSON POS D101, Aedex, UTC/S, UTC/P, ADM788, DSP800, CD5220	
	Viewing Angle	90 degrees Max	
	Horizontal Rotation	355 degrees Max	
	Mechanical	Panel Dimensions	225 x 50 x 86mm
		Support (pole) Dimension	3 pole sections included: 130mm each Can also be used with no pole sections, mounting the panel directly onto the base
		Rectangular Base Dimension	217mm (W) x 106mm (D) x 20 mm (H)
Optional Circular Base Dimension		70.96 x 65.48mm (W) x 35 mm (H)	
Cable Length		1.6 m (USB)	
Weight		520 g (VFD and cable) 45 g (1 pole) 460 g (rectangular base) 25 g (circular base)	
Color		Carbonite	
Interface/Connection	Interface	USB	
	Connection	Type A	
Power	Voltage (typical)	5V	
	Current consumption (typical)	0.5 A	
	Product Category	Class III	

Technical Specifications

Operating Systems (Compatible with)	Genuine Windows Vista® Business 32* Genuine Windows Vista® Business 64* Genuine Windows XP Professional Genuine Windows Embedded for Point of Service (WEPOS) * Certain Windows Vista product features require advanced or additional hardware. Windows Vista Upgrade Advisor can help you determine which features of Windows Vista will run on your computer. To download the tool, visit: http://www.windowsvista.com/upgradeadvisor . For Windows Vista system requirements, visit: http://www.windowsvista.com/systemrequirements
Drivers	Windows XP, Windows Vista, OPOS, JPOS, POS Ready
Reliability	MTBF=30,000 hours
Agency Certifications	CE, FCC Class B, Canadian ICES-003 Class B, MIC, RoHS, WEEE, C-Tick, WHQL
Option kit contents	HP POS Pole Display, Point of Sale System Software and Documentation CD and the Options Warranty Manual

© Copyright 2009 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Microsoft, Windows, Windows XP and Windows Vista are trademarks of the Microsoft group of companies.