

Overview

HP PCM+ Network Management Software is a Microsoft® Windows®-based network management platform that enables mapping, network and device configuration, and monitoring. HP PCM+ provides security and extensibility for small to large networks with remote sites. Network-wide management control allows users to securely add, customize, and restrict network management access. With HP security and wireless solutions, as well as extended third-party support, HP PCM+ offers a single-pane management solution. With remote agent extensibility, the software can manage many remote sites with encrypted communications and firewall traversal. Customers will gain superior return on management, security, choice, and flexibility.

Key features

- Automated network discovery, mapping, monitoring
- Complete network/device configuration management
- Network performance monitoring
- Simplified network troubleshooting and reporting
- Extensible platform with rich plug-in modules

Models

HP PCM+ v4 Software Platform with 50-device License

J9755A

HP PCM+ v4 Software Platform with Unlimited-device License

J9757A

Features and benefits

Manageability

- **Easy-to-deploy and use network management platform:** is easy to install and configure, requires no additional software or service, and often provides valuable network management information in less than 30 minutes; presents dashboards that provide administrators with an intuitive overview of network status and the ability to drill down into the details; utilizes wizards to assist administrators with some of the most common management tasks
- **NEW Web user interface—including mobile view:** Web-based interface simplifies monitoring from anywhere and improves performance for distributed deployments; a mobile view is available to help ensure that administrators can monitor and troubleshoot from their mobile devices
- **Comprehensive network visibility:** provides views of the network using maps or lists of devices; provides views across the network or by subnet, VLAN, or custom group; allows users to annotate maps with port or connection information as well as traffic levels
- **NEW Network services monitoring:** provides proactive monitoring and reporting on the network services that businesses rely on (e.g., HTTP, DHCP, DNS, and FTP); provides an instant view of network service availability and response time
- **NEW PoE visualization and monitoring:** real-time and historical view of network PoE availability and usage allows administrators to see when PoE is oversubscribed and proactively balance PoE devices across a PoE infrastructure
- **Device configuration monitoring:** automatically monitors device configuration changes, providing a complete history of changes with the ability to quickly view what changes were made and when; with the ability to compare configurations across time or devices, PCM+ helps administrators to easily identify configuration issues
- **Device configuration changes:** policy-based configuration makes deployment of new devices a snap and can identify devices that do not adhere to policies; PCM+ makes it easy to make configuration changes to one or many devices at the same time
- **Device firmware updates:** automatically obtains new device firmware from HP and updates devices, allowing users to download the latest version or choose the desired version for downloading; network administrators can schedule firmware updates on one or more groups of devices via the easy-to-use Firmware Update Wizard
- **Event alerting and analysis:** includes event monitoring and filtering capabilities that allow users to view, acknowledge, and sort network events; a summary displays device as well as PCM+ application events and categorizes them by severity, making



Overview

it easier to identify where bottlenecks or problems exist in the network

- **Network performance monitoring:** integrated traffic monitoring delivers detailed network performance views across the entire network with minute-by-minute views of the volume and content of traffic; using the sFlow traffic sampling technology embedded in many HP networking devices, PCM+ can provide detailed traffic views of up to 10,000 monitored segments
- **NEW IPv6 aware:** identifies devices with IPv6 capabilities and IPv6 configured; is displayed on maps and inventory reports
- **NEW Network troubleshooting:**
 - Network analyzer reports: evaluate network configuration and identify real and potential issues based on common misconfigurations
 - Network diagnostic data collection: gathers diagnostic information to assist with troubleshooting network issues; information can be used locally or easily attached to a support case, streamlining the support process
- **Endpoint awareness and VoIP device tracking:** a device map view clearly displays which endpoints are directly connected to the device, including phones, cameras, PCs, and authenticated users; provides real-time location and inventory reporting for VoIP phones, including network details such as VLAN assignment, QoS setting, and PoE status
- **User-defined organization:** user-defined custom groups allow administrators to create collections based on their unique organization of the network; provides the ability to view, take action, or apply policies across these custom groups
- **Script Wizard:** allows customers or service providers to securely extend the PCM+ capabilities with custom scripts; handles device authentication and interactions, making the scripts secure and easier to create

Security

- **Functional-based profile settings:** allow network administrators to create new profiles and associate what type of information is available for those functions, providing more control of network access; profiles can be set at a global or regional level to give fine-grained permissions within the network, delivering more secure access to the network at all support levels
- **RADIUS authentication of network management administrators:** can be configured to use the industry-standard RADIUS protocol to authenticate network management administrators; this approach provides simplified and standardized user administration
- **Firewall traversal:** remote agents enable management data to securely transverse firewalls via a Secure Sockets Layer (SSL) connection; once the system is connected, all management traffic uses the SSL tunnel to securely traverse the Internet between the PCM+ server and agent, allowing for the full management of devices behind a firewall at the remote site

Integration

- **HP NNMi integration:**
 - Advanced HP networking device management: can be integrated with HP NNMi to provide advanced HP networking device support alongside this industry-leading multivendor management platform, which now provides integrated support for most HP networking devices
 - Distributed deployment: HP PCM+ and NNMi run on separate management servers for increased performance, and coordinate management data and actions via secure communications
- **Configurable Integration Platform (CIP):** allows users or service providers to integrate custom devices or actions, and a CIP Wizard makes integration of third-party network devices, user-defined devices, and applications a snap; the CIP Wizard provides an intuitive step-by-step interface for integrating different vendor devices and applications into the PCM+ platform
- **NEW Support for international versions of Windows OS:** runs on localized versions of Windows operating systems, including French, Italian, German, Spanish, and Japanese

Policy management

- **Policy creation and enforcement:** allows you to create policies, set alerts, and take action to enforce network or device policies; network threats, bandwidth, or link problems can be mitigated by proactive policies and can be enforced with alerts and actions



Technical Specifications

HP PCM+ v4 Software Platform with 50-device License (J9755A)	Minimum system hardware	3.0 GHz Intel® Xeon® or Intel® Core™2 Duo processor or equivalent processor 2 GB RAM memory 60 GB storage 1000 MB NIC For HP PCM+ v4 as a standalone application with one agent on the server, assuming a dedicated server
	Recommended system hardware	3.0 GHz Intel® Xeon® or Intel® Core™2 Duo processor or equivalent processor 2 GB RAM memory 120 GB storage 1000 MB NIC For HP PCM+ v4, assuming a dedicated server with one agent on the server and including HP IDM, MM, and NIM
HP PCM+ network management platform for managing networks with up to 50 devices. The number of managed devices can be increased with the "Additional 100-device license" product	Recommended software	Microsoft® Windows® Server 2003 Enterprise Edition SP2 (32-bit) Microsoft® Windows® Server 2008 (32-bit or 64-bit) Standard or Enterprise Edition Microsoft® Windows® Server 2008 R2 (64-bit) Standard or Enterprise Edition Microsoft® Windows® 7 (32-bit or 64-bit) Professional or Ultimate
	Maximum ports simultaneously monitored per server	10,000
	Maximum sFlow sampling ports per server	3000
	Maximum polling ports per server	7000
	Browsers	Internet Explorer version 7 or later Chrome version 12 or later Firefox version 3 or later
	Supported platforms	VMware ESX v3.5 HP Network Node Manager-i v8.10 VMware ESX v4 Microsoft Hyper-V
	Features	Device autodiscovery Topology and mapping Usable troubleshooting data and alerts Device configuration and management Customizable and executable policies across groups Multiple device configuration management and archiving Creation and configuration of VLANs across the network Traffic monitoring and analysis Email/Pager alerts SNMP trap forwarding OpenView NNM integration Application of policies by user identity
	Notes	Additional processing power may be necessary for extensive traffic monitoring.



Technical Specifications

Some degradation in performance may be expected the greater the number of devices attached to the network. Specifications are subject to change.

- Supports up to 2,000 devices managed by a single server. For networks with more than 2,000 devices, one or more remote agents are required.
- For networks with more than 1,500 devices, HP recommends that all agents be remote from the HP PCM server.
- Systems utilizing VMware are limited to networks with 1,200 or fewer devices.
- Minimum system requirements for agent: 3.0 GHz Intel Xeon or Intel Core 2 Duo or equivalent processor, 2 GB of memory, 20 GB of hard disk drive space, and capable of running either Microsoft Windows 7, Microsoft Windows Server 2003, or Microsoft Windows Server 2008.
- Minimum system requirements for client: 3.0 GHz Intel Xeon or Intel Core 2 Duo or equivalent processor, 2 GB of memory, 20 GB of hard disk drive space, and capable of running either Microsoft Windows 7 or Microsoft Windows Vista®.

Services

Refer to the HP website at: www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.

HP PCM+ v4 Software Platform with Unlimited-device License (J9757A)

HP PCM+ network management platform for managing an unlimited (up to the currently supported limits of the product) number of devices

Minimum system hardware

3.0 GHz Intel® Xeon® or Intel® Core™2 Quad processor or equivalent processor
4 GB RAM memory
100 GB storage
1000 MB NIC

For HP PCM+ v4 as a standalone application with one agent on the server, assuming a dedicated server

Recommended system hardware

3.0 GHz Intel® Xeon® or Intel® Core™2 Quad processor or equivalent processor
6 GB RAM memory
120 GB storage
1000 MB NIC

For HP PCM+ v4, assuming a dedicated server with one agent on the server and including HP IDM, MM, and NIM on the same server

Recommended software

Microsoft® Windows® Server 2003 Enterprise Edition SP2 (32-bit)
Microsoft® Windows® Server 2008 (32-bit or 64-bit) Standard or Enterprise Edition
Microsoft® Windows® Server 2008 R2 (64-bit) Standard or Enterprise Edition
Microsoft® Windows® 7 (32-bit or 64-bit) Professional or Ultimate

Maximum ports simultaneously monitored per server

10,000

Maximum sFlow sampling ports per server

3000

Maximum polling ports per server

7000



Technical Specifications

Browsers	Internet Explorer version 7 or later Chrome version 12 or later Firefox version 3 or later
Supported platforms	VMware ESX v3.5 HP Network Node Manager-i v8.10 VMware ESX v4 Microsoft Hyper-V
Features	Device autodiscovery Topology and mapping Usable troubleshooting data and alerts Device configuration and management Customizable and executable policies across groups Multiple device configuration management and archiving Creation and configuration of VLANs across the network Traffic monitoring and analysis Email/Pager alerts SNMP trap forwarding OpenView NNM integration Application of policies by user identity
Notes	<p>Additional processing power may be necessary for extensive traffic monitoring.</p> <p>Some degradation in performance may be expected the greater the number of devices attached to the network. Specifications are subject to change.</p> <ul style="list-style-type: none">• Supports up to 2,000 devices managed by a single server. For networks with more than 2,000 devices, one or more remote agents are required.• For networks with more than 1,200 devices, HP recommends that all agents be remote from the HP server.• Systems utilizing VMware are limited to networks with 1,200 or fewer devices.• Minimum system requirements for agent: 3.0 GHz Intel Xeon or Intel Core 2 Duo or equivalent processor, 2 GB of memory, 20 GB of hard disk drive space, and capable of running either Microsoft Windows 7, Microsoft Windows Server 2003, or Microsoft Windows Server 2008.• Minimum system requirements for client: 3.0 GHz Intel Xeon or Intel Core 2 Duo or equivalent processor, 2 GB of memory, 20 GB of hard disk drive space, and capable of running either Microsoft Windows 7 or Microsoft Windows Vista.
Services	Refer to the HP website at: www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.



Accessories

HP PCM Plus v4 Network Management Software Series accessories	License	
	NEW HP PCM+ v4 additional 100-device License	J9756A
	NEW HP PCM+ v4 additional 1-year Maintenance for up to 50 devices	J9758A
	NEW HP PCM+ v4 additional 1-year Maintenance for up to 250 devices	J9759A
	NEW HP PCM+ v4 additional 1-year Maintenance for up to 550 devices	J9760A
	NEW HP PCM+ v4 additional 1-year Maintenance for unlimited devices	J9761A
	Software	
	NEW HP PCM+ Mobility Manager v4 Software Module License	J9751A
	NEW HP PCM+ Identity Driven Manager v4 Software Module with 500-user License	J9752A
	NEW HP PCM+ Identity Driven Manager v4 Software Module with Unlimited-user License	J9753A



Accessory Product Details

NOTE: Details are not available for all accessories. The following specifications were available at the time of publication.

HP PCM+ v4 additional 100-device License (J9756A)	Notes	Please refer to the "PCM+ v4 Software Platform License" for resource specifications and list of features.
	Services	<ul style="list-style-type: none">The more devices that are managed increases the system resource requirements, therefore if using multiple "Additional 100 device licenses", please use the "Recommended" specifications for resources Refer to the HP website at: www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.
<hr/>		
HP PCM+ v4 additional 1-year Maintenance for up to 50 devices (J9758A)	Notes	Extended maintenance includes all software updates for this product and free product support via telephone or email.
	Services	<ul style="list-style-type: none">Maintenance includes the PCM+ Software Platform and any software plug in modules; Mobility Manager and Identity Driven Manager Refer to the HP website at: www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.
<hr/>		
HP PCM+ v4 additional 1-year Maintenance for up to 250 devices (J9759A)	Notes	Extended maintenance includes all software updates for this product and free product support via telephone or email.
	Services	Refer to the HP website at: www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.
<hr/>		
HP PCM+ v4 additional 1-year Maintenance for up to 550 devices (J9760A)	Notes	Extended maintenance includes all software updates for this product and free product support via telephone or email.
	Services	Refer to the HP website at: www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.
<hr/>		
HP PCM+ v4 additional 1-year Maintenance for unlimited devices (J9761A)	Notes	Extended maintenance includes all software updates for this product and free product support via telephone or email.
	Services	Refer to the HP website at: www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.



Accessory Product Details

HP PCM+ Mobility Manager v4 Software Module License (J9751A) **Notes**

HP Mobility Manager is a software module to the PCM+ platform and does not have software system requirements in addition to those listed for the PCM+ platform.

J9751A is an enablement license and requires a base PCM+ license. Use J9751A with either an HP PCM+ v4 Software Platform with 50-device License (J9755A) or PCM+ v4 Software Platform with Unlimited-device License (J9757A).

- The Mobility Manager v4 license is no longer based on device counts as it had been in previous releases.
- PCM+ v4 will continue to count both wired and wireless devices (i.e., MSM controllers, managed APs, and autonomous APs) in its licensing scheme. Upgrades for software modules are supported through the HP PCM+ platform. To upgrade HP Mobility Manager v3.10 to HP PCM+ Mobility Manager v4, purchase an HP PCM+ v4 additional 1-year maintenance license (J9758A, J9759A, J9760A, or J9761A).
- If upgrading Mobility Manager v3 to v4, Mobility Manager v3 licenses will be converted to PCM+ licenses. For more details, refer to PCM+ v4 Release Notes and documentation.

Services

Refer to the HP website at: www.hp.com/networking/services for details on the service-level descriptions and product numbers. For details about services and response times in your area, please contact your local HP sales office.

To learn more, visit: www.hp.com/networking

© Copyright 2011 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

Intel, Intel Core, and Intel Xeon are trademarks of Intel Corporation in the U.S. and other countries. Microsoft, Windows, and Windows Vista are U.S. registered trademarks of Microsoft Corporation.

