Fujitsu recommends Windows 8 Pro.

Data Sheet FUJITSU LIFEBOOK E734 Notebook

Uncompromisign Elegant Design and Functionality

The elegant FUJITSU Notebook LIFEBOOK E Line offers a premium 15.6-inch, 14-inch and 13.3-inch notebook for various corporate demands providing ultimate flexibility and convenience while reducing TCO and complexity. The underlying family concept includes common BIOS, mainboard, shared components and accessories, resulting in decreased expenses. High-end materials ensure maximum durability. With its superb feature set, appealing looks and set of thorough security features, you don't have to make compromises anymore.

Family Concept

Reduce your acquisition cost as well as the complexity of your IT equipment.

Shared components such as AC Adapter, modular bay elements, port replicator, keyboard layout and shared mainboard with same drivers, BIOS, bit image with LIFEBOOK E744 and LIFEBOOK E754

High-End Design

Outstanding mobility, ease of use and sleek looks for highest business demands.

Especially slim from 20 mm, 33.8 cm (13.3-inch) display, light weight starting from only 1.6 kg, attractive red elements, high-value material with magnesium lid and strong metal hinges

Premium Features

Maximize your productivity with premium notebooks providing ultimate convenience and best feature set for business users.

- Optional backlit keyboard, large touchpad and modular bay for 2nd battery, 2nd HDD, bay projector or DVD Super Multi for convenient and flexible working
- Integrated SmartCard reader, optional Full Disk Encryption (FDE) and fingerprint sensor for absolute protection of company data
- Full set of interfaces, optional embedded 4G/LTE, WLAN and Bluetooth and Full HD webcam with status LED for maximum connectivity









Components

Processor	Intel® Core™ i7-4702MQ processor (2.2 GHz, up to 3.2 GHz, 6 MB) *		
	Intel® Core™ i5-4200M processor (2.5 GHz, up to 3.1 GHz, 3 MB) *		
	Intel® Core™ i3-4000M processor (2.4 GHz, 3 MB) *		
	Intel [®] Core™ i7-4600M processor (2.9 GHz, up to 3.6 GHz, 4 MB)		
	Intel® Core™ i5-4300M processor (2.6 GHz, up to 3.3 GHz, 3 MB)		
	*Processor only for retail, SMB, education and government		
	Intel [®] Core™ i7 processors only available for Intel [®] QM87 Chipset; Intel [®] Core™ i3 processors only for	Intel® HM86	
	Intel® Core™ vPro™ Processor - Best Platform for Businesses of all sizes		
	Intel® Core™ Processor with Intel® Small Business Advantage - Smart Platform for Unmanaged Smal	l Business	
Operating systems			
Operating system	Windows® 7 Professional 64-bit		
	Windows 8.1 Pro 64-bit		
	Windows 8.1 64-bit		
Operating system compatible	Windows 8 32-bit		
	Windows® 7 Professional 32-bit		
	Windows 8 64-bit		
Memory modules	2 GB (1 module(s) 2 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
	4 GB (1 module(s) 4 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
	8 GB (1 module(s) 8 GB) DDR3 L, 1600 MHz, PC3-12800, SO DIMM		
Base unit memory	LIFEBOOK E734 13.3-inch HM86 LIFEBOOK E734 13.3-inch QM87		
Supported capacity RAM (max.)	16 GB		
Memory slots total	2		
, Memory slot type	DIMM (DDR3L)		
Memory notes	DDR3L - 1,600 MHz		
Hard disk drives (internal)	SSHD, 5,400 rpm, 500 GB / 8 GB SSD Cache, 2.5-inch, S.M.A.R.T.		
. ,	SSD SATA III FDE, 256 GB, 2.5-inch		
	SSD SATA III, 512 GB, 2.5-inch		
	SSD SATA III, 256 GB, 2.5-inch		
	SSD SATA III, 128 GB, 2.5-inch		
	SATA N, 120 GB, 2.5-Inch, S.M.A.R.T.		
	SATA, 5,400 rpm, 320 GB, 2.5-inch, S.M.A.R.T.		
Hard disk notes	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity.		
	Accessible capacity may vary, also depending on used software.		
	Up to 20 GB of HDD space is reserved for system recovery		
	Internal HDD interface: S-ATA III (6GBit/s)		
WLAN (optional)	Intel [®] Centrino [®] Wireless-N 7260 2x2 a/b/q/n with integrated Bluetooth 4.0		
v 1 – <i>1</i>	Intel® Centrino® Wireless-N 7260 2x2 b/g/n with integrated Bluetooth 4.0		
Wireless technologies			
Antennas	2 Dual band WLAN antennas, 2 UMTS/LTE antennas optional		
WLAN notes	Import and usage according to country-specific regulations.		
3G/4G (optional)	Sierra Wireless EM8805 (Downlink speed 42 Mbit/s, Uplink speed 5.76 Mbit/s)		
,	LTE Sierra Wireless EM7305 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)		
	33.8 cm (13.3-inch), LED backlight, (HD), Anti-glare display, magnesium, 1,366 x 768 pixel, 300:1		

Modular bay options	2nd battery	
	Bay Projector	
	Blu-ray Disc™ Triple Writer	
	DVD Super Multi	
	Weight saver	
Base unit	LIFEBOOK E734 13.3-inch HM86	LIFEBOOK E734 13.3-inch QM87
General system information		
Chipset	Intel® HM86	Intel® QM87
Chipset notes		Supports iAMT 9.0, Intel® vPro™ requires Core i5-43xx & i7-46xx CPU, Intel WLAN 7260 a/b/g/n, TPM module
BIOS features	BIOS based on Phoenix SecureCore	
Display		
Display notes	ISO 9241-307 - Pixel class II	
	Viewing angle: Left/Right 45°, Top 15°, Bottom 35°	
Graphics		
Base unit	LIFEBOOK E734 13.3-inch HM86	LIFEBOOK E734 13.3-inch QM87
TFT resolution (DisplayPort)	up to 2,560 x 1,600	up to 2,560 x 1,600
TFT resolution (VGA)	up to 1,920 x 1,200	up to 1,920 x 1,200
TFT resolution (DVI on Port Replicator)	up to 1,920 x 1,200	up to 1,920 x 1,200
Graphics brand name	Intel [®] HD Graphics 4600	Intel [®] HD Graphics 4600
Graphics notes	Shared memory depending on main memory size and operating system	Shared memory depending on main memory size and operating system
Video memory total	256MB with Win XP; up to 1,535MB with Win7 32bit; up I 1,696MB with Win7 64bit MB	to 256MB with Win XP; up to 1,535MB with Win7 32bit; up to 1,696MB with Win7 64bit MB
Interfaces		
Memory card slots	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)	
SmartCard slot	1 (optional)	
SIM card slot	1 (only for models with integrated 3G/UMTS or 4G/LTE mo	odule)
USB 3.0 total	3 (1 with Anytime USB Charge functionality)	
VGA	1	
DisplayPort	1	
Ethernet (RJ-45)	1	
DC-in	1	
Audio: line-in / microphone	1	
Audio: line-out / headphone	1	
Internal microphones	2x digital microphones (array)	
Docking connector for Port Replicator	1	
Kensington Lock support	1	
Wired communication		
LAN	Built-in 10/100/1,000 MBit/s Intel® I217LV	Built-in 10/100/1,000 MBit/s Intel® I217LM
Keyboard and pointing devices		
	Black colored key caps for backlight keyboard#Black color keyboard	red key caps with red frame for regular keyboard#Isolation
	Number of keyboard keys: 85, Keyboard pitch: 19 mm, Ke	eyboard stroke: 1.7 mm
	Multi gesture touchpad (93mmx55mm) with 2 integrated	d mouse buttons
	Optional: Fingerprint sensor	
Multimedia	Optional: Fingerprint sensor Application buttons	

Multimedia				
Audio codec	Realtek ALC3233			
Audio features	Stereo speakers			
Camera	Optional: Built-in webcam, Full HD (2,073 me	gapixel) (Microsoft® Lync™)		
Power supply				
AC Adapter) Hz, 3-pin (grounded) AC-Adapter, 0.250 kg, 108x46x30 mm		
	19 V / 65 W (3.42 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) slim and light AC-Adapter			
) Hz, 3-pin (grounded) 0-Watt AC Adapter technology		
		19 V / 90 W (4.74 A), 100 V - 240 V, 50 Hz - 60 Hz, 3-pin (grounded) AC-Adapter		
Notes	65W AC Adapter for usage with system/ 80 & 9	90W AC Adapter for usage with Port Replicator		
1st battery options	Li-Ion battery 6-cell, 5,800 mAh, 63 Wh			
	Li-Ion battery 6-cell, 6,700 mAh, 72 Wh			
2nd battery (optional)	Li-Ion battery 6-cell, 2,600, mAh, 28 Wh			
Runtime 1st battery	up to 13 h (tbd)			
Runtime 1st + 2nd battery	up to 19 h (tbd)			
Battery charging time	~160 min (63Wh) ~ 200 min (72Wh)			
Battery notes	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers			
		s, viewing documents) which provides results that enable direct product		
	1	not guarantee any specific battery runtime which actually can be lower		
	and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.			
Dimensions / Weight / Environmental				
Dimensions (W x D x H)	321 x 228 x 20 (f) - 27 (r) mm			
Weight	1.6 kg			
Weight notes	Incl. weight saver. Weight may vary depending	g on actual configuration.		
Operating ambient temperature	5 - 35 °C			
Operating relative humidity	20 - 85 %			
Additional Software				
Security software		nternet security software; 60 days trial version)		
Additional software (preinstalled)	Adobe [®] Reader [®] (pdf reader)			
	Fujitsu LIFEBOOK Application Panel			
	Fujitsu Display Manager			
	ShockSensor Utility			
	Power Saving Utility Fujitsu Plugfree Network (network management utility)			
	EasyGuide online user documentation			
	Win8: Microsoft Push Button Recovery (hard disk based recovery)			
	Win7: Fujitsu Recovery (hard disk based recover	ery)		
Additional software (optional)	Drivers & Utilities DVD (DUDVD)			
	UMTS connection manager (optional with UM	TS)		
Manageability				
Manageability technology	DeskUpdate Driver management	DeskUpdate Driver management		
5 , 5,	PXE 2.1 Boot code	PXE 2.1 Boot code		
	Wake up from S5 (off mode)	Wake up from S5 (off mode)		
	WoL (Wake on LAN)	Intel® vPro™ technology		
		WoL (Wake on LAN)		
		Intel® SBA Manageability Solution (see details: http://		
		www.intel.com/go/sba)		
Managaahiliku asfuuras	Declation	iAMT 9.0 (depending on CPU)		
Manageability software	DeskView Client DeskView Instant BIOS Management			
	DeskView Instant BIOS Management DeskView Integration for Symantec Managem	ent Platform		
	Sestered integration for symanice managem			

Manageability	
DeskView components	Inventory Management
	BIOS Management
	Driver Management
	Security Management
Constant of the sector of the	Alarm Management
Supported standards	WMI
	PXE RestP (made/way)
Manageability link	BootP (made4you) http://www.fujitsu.com/fts/solutions/high-tech/solutions/workplace/manageability/feature-finder.html
Security	
Physical Security	Kensington Lock support
System and BIOS Security	Computrace [®] enabled BIOS
	EraseDisk (optional)
	Optional: Trusted platform module (TPM 1.2)
	Advanced Theft Protection (Computrace® only)
User Security	Hard disk password
	Access protection via internal SmartCard reader (optional)
	User and supervisor BIOS password
	Workplace Protect (secure authentication solution)
Compliance with standards	
Europe	CE
	СВ
Global	RoHS (Restriction of hazardous substances)
	WEEE (Waste electrical and electronic equipment)
	Microsoft Operating Systems (HCT / HCL entry / WHQL)
	WiFi certified
	ENERGY STAR® 6.0
	EPEAT® Gold (dedicated regions) (planned)
Compliance link	http://globalsp.ts.fujitsu.com/sites/certificates
Port Replicator interfaces (optional	
DC-in	1
Audio: line-in	1
Audio: line-out	1
USB 3.0 total	4
DisplayPort	2
VGA	1
DVI	1
Ethernet (RJ-45)	1
Kensington Lock support	1
eSATA	1
Warranty	
Standard Warranty	2 years (depending on country)
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending
	on local regulations)
Warranty Terms & Conditions	http://support.ts.fujitsu.com/warranty
Maintenance and Support Services	
Recommended Service	9x5, Response Time: Next Business Day
Spare Parts availability	5 years after end of product life
Service Weblink	http://www.fujitsu.com/fts/services/support

Recommended Accessories

Port Replicator for LIFEBOOK E Series (E754, E744 and E734)	Flexibility, expandability, desktop replacement, investment protection – to name just a few benefits of Fujitsu's docking options.	Order Code: S26391-F1337-L100
Second Battery for Modular Bay	Modern business demands that busy professionals be ready to meet customers, make presentations, and work wherever is necessary to get the job done. With a Second Battery for your Fujitsu LIFEBOOK you will be more flexible than ever. Installation is effortless. Just slide the Second Battery into your Fujitsu LIFEBOOK's modular bay.	Order Code: S26391-F1314-L500
Prestige Case Mini 13	The Prestige Case Mini 13 protects notebooks with up to 13-inch screens. The front half of the bag has dedicated compartments for your notebook, power cord, office supplies and personal items. The back half of the bag has an expanding, divided compartment for your files.	Order Code: S26391-F1192-L151
Fujitsu Bay Projector	The innovative Fujitsu Bay Projector is the first projector which can be inserted in the modular bay of a notebook. The patented projector offers mobility and convenience in the office as well as at home. The Bay Projector converts your notebook into a fully-mobile office, giving you the flexibility you demand.	Order Code: S26391-F1244-L600
Wireless Notebook Mouse WI410	The Wireless Notebook Mouse WI410 is the perfect mouse for road warriors who don't want to bother with cables. It is compact enough to easily slip into a notebook bag or briefcase without getting in the way. It features two buttons and a scroll wheel which can also be used as a third button.	Order Code: S26381-K464-L100
Mobile Bluetooth Communication Speaker	The Fujitsu Mobile Bluetooth Communication Speaker is the perfect audio accessory for your connected mobile life. It is smaller than a tennis ball so you can bring it everywhere and it can connect via Bluetooth so you don't have to worry about cords. An integrated microphone gives you on-the-fly conference call capabilities for all your Bluetooth enabled mobile devices.	Order Code: S26391-F7128-L700

More information

Fujitsu OPTIMIZATION Services

In addition to Fujitsu LIFEBOOK E734, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

Computing Products

www.fujitsu.com/global/services/computing/

Software

www.fujitsu.com/software/

More information

Learn more about Fujitsu LIFEBOOK E734, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website. www.fujitsu.com/fts/mobile

Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.

Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at http://www. fujitsu.com/global/about/environment/



Copyrights

All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded.

Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see www.fujitsu.com/ terms

Copyright © Fujitsu Technology Solutions

Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

CONTACT

FUJITSU Technology Solutions Website: www.fujitsu.com/fts 2014-01-21 CE-EN All rights reserved, including intellectual property rights. Technical data subject to modifications and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see www.fujitsu.com/terms Copyright © Fujitsu Technology Solutions